Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
<u>13</u>	86	zhou-yan.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:51
L2	5	L1 and current adj driver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:53
L3	503	silicon-lab\$.AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:53
L4	8	L3 and current adj driver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/04 16:53
S1	329	379/394.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:50
S3	51	S1 and (current adj driver\$1 or current adj source\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 15:18
S4	18167	line adj driver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:46
S5	181261	current adj (driver\$1 or source\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 14:34

S6	2099	impedance adj bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 09:55
<b>S7</b>	6	S4 and (S5 with S6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 15:50
S8	24	S4 and S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 10:01
S9	49	S5 with S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 10:07
S10	362	S4 with S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 10:09
S11	96	S10 and pair\$1 with current adj (driver\$1 or source\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 15:27
S12	78	S11 and (\$1DSL or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 11:08
S13	2	S12 and (voice or POTS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 13:55

				-		
S14	12	S12 and (synthes\$5 or match\$3) with impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 13:55
S15	5	S11 and (voice or POTS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 13:56
S21	33	S4 and subscriber adj line adj driver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 14:17
S22	12	S5 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 14:18
S24	6	S22 and impedance adj bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 14:35
S26	8	S22 and voice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 14:36
S27	8	S22 and voice and data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 14:39
S28	9	S22 and (voice or POTS) and (data or \$1DSL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 15:46

S30	8	S27 and impedance	US-PGPUB;	OR	ON	2006/05/03 14:56
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
531	61	(subscriber adj line adj interface or SLIC) with (current adj driver\$1 or current adj source\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 15:25
S32	1	S31 and (SLD or driver\$1) and impedance with bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 15:23
S33	12	S31 and (SLD or driver\$1) and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 15:24
S34	16	S31 and pair\$1 with current adj (driver\$1 or source\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 15:27
S35	6	S34 and (voice or POTS) and (data or \$1DSL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 15:46